PRISM

[Program for Readability In Science & Medicine]

Group Health Research Institute

GroupHealth

Notes for users

This Toolkit is a copyrighted, public-domain resource that you may feel free to use and share as you see fit. Downloadable copies in PDF format are available at: www.tinyurl.com/prismtoolkit.

Navigation links and links to dozens of outside resources are indicated in standard hyperlink format (blue underlined text). The external links in this edition were last accessed on June 29, 2009.

We welcome your feedback about the Toolkit's usefulness, as well as suggestions for improvements or updates. Please share your comments through our online survey at http://www.surveymonkey.com/s.aspx?sm=_2b4zMSskDsOeFHLEqUW9EzQ_3d_3d. You may also send your comments by email to the PRISM team at

Contents

How this Toolkit Can Help You..... 3

What You Should Know Before Using this Toolkit..... 5

The Principles of Plain Language..... 7

How to Determine Reading Level..... 11

Quick Reference Guide for Improving Readability..... 13

Editing Checklist for Participant Materials..... 15

Resources for Informed Consent Documents..... 18

Resources for HIPAA Authorization Documents..... 34

Resources for HIPAA Authorization Documents – Links to helpful HIPAA templates and guidelines, along with a brief selection of easy-to-read HIPAA language

Alternative wording suggestions – A list of plain language alternatives for hundreds of words typically used in medical and research settings and links to online resources that define medical and research jargon

Examples of improved readability – Before and after "snapshots" of plain language revisions to original text taken from actual participant materials

Examples of improved formatting – Techniques for improving readability through formatting changes are illustrated with three before and after examples: an advance letter, a consent form, and a study information sheet. While the focus is on improved formatting, all three examples also illustrate other plain language techniques.

Repository of readability resources and references – A clearinghouse of web-based resources focused on health literacy, readability, plain language, and informed consent, plus a short bibliography of articles related to literacy and readability in health research

<< Back to contents page

What You Should Know Before Using this Toolkit

Background on health literacy and plain language

Recent high-profile reports from the Institute of Medicine (IOM) and the Joint Commission on the Accreditation of Hospitals (JCAHO) have highlighted the problem of limited health literacy in the United States.[3,4] The health care environment is typically so complex that most Americans—even those with average or above average literacy skills—may not be able to understand or act on information that is critical to their health and well-being.

One way we can begin to close this gap is to improve the readability of print materials used in all health care contexts, including health care research. To this end, the U.S. Department of Health and Human Services (DHHS), JCAHO, and the IOM have all recommended that health information be written in plain language.

For a comprehensive summary of why plain language is one promising solution to our nation's health literacy crisis, see Stableford and Mettger's 2007 article, Plain Language: A Strategic Response to the Health Literacy Challenge

Why plain language is especially important in research

Many words and concepts that are commonly used in medical and research settings are complicated and unfamiliar to the average adult. However, federal regulations require that informed consent documents be written in language that is understandable to the subject.[5] Because nearly half of American adults read at or below an 8th grade reading level,[6] most IRBs recommend or require that participant materials meet a reading level target of 6th-8th grade. In order to conduct compliant and ethical research, research teams should strive to ensure that all print materials used in communication with study participants are as easy as possible to read.

Of special concern to researchers is that people with chronic mental and/or physical health conditions are among several vulnerable populations whose reading level is below the national average.[7] Considering how often chronic medical conditions are the focus of research, it is imperative that the research community be mindful of how difficult it might be for certain populations to read and understand consent forms and other print materials used in health care research. Regardless of the population under study, research suggests that even people with average and above-average reading skills prefer easy-to-read information.

One strategy that can aid the development of study materials is to use a participant-centered approach. Ask yourself what it would be like to participate in a given study. What thoughts, feelings, and questions would be on the participant's mind? For instance, participants who are invited into a study because they have diabetes will likely want to know how the research team came to know about their condition.

Other common questions might include: Will my doctor find out I am in the study? Should I talk to my doctor first? What's in it for me? Do I have a choice about what happens to me? Will there be bad side effects? If so, what are they and what can I do about them? How do I find out more information? Try to anticipate a participant's concerns and questions and address them thoughtfully. This will help you develop materials that are inviting and meaningful and may increase the chance that your readers will understand what you've written.

[<< Back to contents page]

To gauge the complexity of the language you’re using, it can be helpful to

Organize your document in a way that will make sense to your readers. Put the most important information first. When relevant, ensure that stepwise information is in chronological order. Be clear about what your participants need to do and when they need to do it.

Take time to **consider what you know about your audience**—their literacy level, age, culture, ethnicity, or potential chronic health conditions. Does your writing include

Helpful plain language resources

There are many other excellent resources that describe techniques for improving readability and include information about plain language principles and strategies. Among the most comprehensive are:

The Health Literacy Style Manual – A detailed guide that includes tips on project planning, writing, formatting, field testing, and translating into languages other than English. Unlike many plain language resources, it addresses the readability of applications and other forms and is based on a variety of real-world examples. Developed by The MAXIMUS Center for Health Literacy as part of a national program funded by the Robert Wood Johnson Foundation.

Teaching Patients with Low Literacy Skills, 2nd Edition – A classic health literacy

How to Determine Reading Level

There are many formulas available to help determine the approximate reading level of a document, and you can find a wealth of information about each of them on the Internet. Most readability formulas provide a grade level score and are based on the average number of syllables per word and words per sentence. In general, the more syllables there are in a word and the more words there are in a sentences, the harder it is to read and understand the text.

Among the most commonly used methods to determine readability are the Fry formula and the Flesch-Kincaid formula. Most health literacy experts recommend using the Fry formula, however, the analysis can take 20 minutes or more since computations are traditionally done by hand. The Flesch-Kincaid formula has been criticized for being less accurate than the Fry, however, results can be obtained quickly and automatically using the readability analysis tool in Microsoft Word . Assessing the reading level via multiple formulas is probably the best way to get a reasonably accurate estimate of reading level. Many software packages provide multiple readability scores, and this may be the best option for those who can afford the investment.

Despite the fact that the Flesch-Kincaid method may be less accurate than the Fry, it still has considerable value as a rough estimate and is especially useful when time or resources are limited. The readability tool in Microsoft Word also provides the Flesch Reading Ease score and the percent of passive sentences (see table below). For instructions on how to use the readability analysis tool in Microsoft Word , please see Appendix A on page 36. Pfizer's Principles for Health Communication provides a detailed description of how to use the Fry formula (see page 62).

For other resources and information related to readability, see Appendix E: Repository of Readability References and Resources on page 71.

Readability statistics available in Microsoft Word

Formula	Description	

Things to consider when using readability formulas

Formulas do not take overall organization, formatting, or page density into account, all of which significantly impact readability.

Sometimes we cannot avoid using multi-syllable words like “mammography” or “immunization.” If possible, substitute them with “x-ray of the breast” and “shot.” But if this is not possible, be sure to adequately define them in the materials and acknowledge that this will slightly increase your target grade level.

Quick Reference Guide for Improving Readability

Guiding principles of plain language include:

Use language your audience can easily understand.

Write in a conversational style, as if you were speaking.

Organize and filter content with your readers' needs in mind.

Use reader-friendly formatting so that your document looks easy to read.

The following specific strategies will help you adhere to these principles:

Check the reading level.

Choose a readability formula, but be aware that they all have limitations—getting a

Editing Checklist for Participant Materials

Use the editing checklist that follows to improve the readability of participant materials. It was designed for project managers, research assistants, and others who may be coordinating the development of study documents. The checklist is meant as an interactive tool to both guide and track the revision process.

The Quick Reference Guide for Improving Readability on the previous page gives more detail about how to check the various items on the list. Each row on the checklist corresponds sequentially to a point in the guide. If you have any questions, feel free to contact Jessica Ridpath at 206-287-2032 or PRISM@ghc.org.

Notes for using the editing checklist

The checklist is divided into three columns. The first column is for checking off the items listed in the second column. The third column is for tracking important notes and exceptions:

> You will probably want to check some items more than once.
>
> It's a good idea to save completed checklists to keep track of changes and decisions.
>
> Track things like multi-syllable words that impact readability but sometimes cannot be avoided. Two examples are "mammography" and "immunization."
>
> Make note of important dates and the names of people who helped edit the document. The dates and details of decisions or any other information that the user finds helpful can also be tracked in the third column.

The checklist consists of three phases. The phases should be completed in order. The items within each phase may be checked in any order.

> In **Phase 1**, the primary reviewer (usually the project manager) checks the reading level and makes revisions to improve readability.
>
> In **Phase 2**, the primary reviewer checks the reading level again and asks other people to edit the document.
>
> In **Phase 3**, the primary reviewer confirms contact information and other details. The last steps are to get signoff from the project team and log the final reading level.

<< Back to contents page

Editing Checklist for Participant Materials

	Context, style, and amount of information are appropriate for the audience	
	Clear organization and format lead with key information use bold, bullets, or other emphasis as needed	
	Adequate white space and margins	

Resources for Informed Consent Documents

Writing an informed consent document in plain language is typically not an easy task. This is especially true in biomedical studies that often include descriptions of complex study procedures and complicated risks. Furthermore, the study sponsor, the reviewing IRB, or the research institution will sometimes mandate language that is inaccessible to the typical study participant.

Given that informed consent requirements vary by sponsoring agency, research institution, and level of risk (to name a few), it is important that plain language strategies for consent forms be flexible and adaptable. In essence, there is no "one size fits all" plain language template for informed consent. The informed consent resources in this Toolkit were selected with these variables in mind and might be useful when applied to the process of developing new consent documents or applying existing consent form templates:

Avoiding common pitfalls
Helpful consent templates
Helpful consent guidelines
Easy-to-read template language for consent forms

Avoiding common pitfalls

There is an obvious tension between meeting federal, institutional, and other requirements and creating a short, readable consent form, and no amount of word-smithing can take the place of a rigorous and participant-centered informed consent process. However, there are many pitfalls related to informed consent documents that can be avoided. The following insights are derived from our experience editing consent forms and may help researchers overcome some of the unique challenges of creating readable informed consent forms.

Watch closely for dense formatting. Many consent forms that contain readable language are formatted so densely that comprehending them is still problematic.

Consent forms often contain significantly more information than may be absolutely

Look out for topic sentences that are buried in the middle or end of a paragraph, especially in relation to the purpose of the study.

Be cautious if you cut and paste content from consent forms from previous studies. Sometimes an unnecessary component or some false information will inadvertently be inserted.

Helpful consent templates

As noted elsewhere in this Toolkit, writing in plain language is a continual process of improvement. There may not be any one perfect example of plain language at its best. No matter how readable something is, it seems there are always ways to improve it, especially when the content is as complicated as consent forms tend to be. We have reviewed dozens of informed consent templates and have edited dozens of consent forms, and have found the following to be among the more readable consent form templates:

University of South Florida – Templates for biomedical studies, social-behavioral studies, and varying levels of risk, as well as assent forms and parental consent forms. The templates include HIPAA authorization language when required.

Johns Hopkins University – Combined informed consent and HIPAA authorization template, assent form template, and short form templates for non-English speakers.

Fred Hutchinson Cancer Research Center – Templates for varying levels of risk, as well as for consent to donate extra tissue samples for research. The templates include HIPAA authorization language when required.

Helpful consent guidelines

University of Illinois at Chicago – Policy on informed consent, including specific guidelines about formatting and readability and links to other helpful resources (see pages 9-12 of the policy).

Association of American Medical Colleges – "Universal Use of Short and Readable Informed Consent Documents: How Do

Table 1

Introduction/Researchers' Statement	Grade level

You are invited to think about taking part in a research study. This form will tell you about the purpose of the research, its possible risks and benefits, other options that you have, and your rights as a participant in the study. Please take your time to make your decision.

Everyone who takes part in research at Group Health [insert name of facility or institution] should know that:

Being in any study is voluntary.

You may or may not benefit from being in the study. Knowledge we gain from this study may benefit others in the future.

You may leave the study at any time and none of the benefits you normally receive will be taken away.

Table 2

Request for Permission to Review Medical Records	Grade level
We are asking you to let us collect some information from your medical records for this study. We will not need to look at all your records. Instead, we will use a computer to find information about your use of health care services, including:	

Table 4

Blood Draw Procedures
Note: Include volume of blood only in teaspoons or tablespoons, rather than ml, cc, or oz. Use the following equivalents: 5cc = 1 teaspoon 15cc = 1 Tablespoon 1 oz = 2 Tablespoons

< Back to template language topics

Table 5

Table 8

Voluntary Participation and Withdrawal	Grade level
Do I have to be in this study? No, being in this study is up to you. You can say no now or to leave the study at any time later. Either way, your decision won't affect your care or benefits at Group Health [insert facility or institution].	**3.4**
Can you leave the study early? You can agree to be in the study now and change your mind later. If you wish to stop, please tell us right away. Leaving this study early will not affect your regular medical care. from Johns Hopkins University	**4.2**

Voluntary Participation and Withdrawal	Grade level

Your participation in this study is voluntary. You are free to leave this study at

Table 9

Confidentiality	Grade level
Your confidentiality is one of our main concerns. We will store all of your research records in locked cabinets and secure computer files. We won't place your name on any research data. Instead, we will label your information with a code number. The master list that links your name to your code number will be stored in a locked cabinet. We will keep all the information you give us confidential as provided by law. The only exception is any risk of possible harm to you or others. We won't share your study results with anyone unless you ask us to. Your name won't appear in any reports about this study.	**6.3**

We will keep information about you confidential as provided by law. We will label your audiotapes and survey answers [insert applicable study data] with a study number only. Your study number is not related to your name or Group Health medical record number [insert applicable patient identifier].

Resources for HIPAA Authorization Documents

Despite federal requirements that HIPAA privacy notices and authorizations for research be written in plain language, few HIPAA forms can be considered readable. In fact, a recent study of HIPAA authorizations from over 100 research institutions found that the mean reading level score was between 11th grade and college-level, depending on the readability formula used[12].

As with informed consent, we have reviewed and edited dozens of HIPAA authorizations, but have yet to identify or create a HIPAA form written entirely in plain language. Nonetheless, the HIPAA resources listed here may help researchers make strides toward this goal.

Helpful HIPAA authorization templates

Among the more readable HIPAA templates we have found are:

University of California (system wide) – stand-alone HIPAA template

Seattle Children's Hospital Research Institute – stand-alone HIPAA template

University of South Florida – stand-alone HIPAA template, as well as HIPAA language within the consent templates

Johns Hopkins University – HIPAA language within the consent template

Helpful HIPAA guidelines

Plain Language Principles and Thesaurus for Making HIPAA Privacy Notices More Readable – a summary of plain language strategies tailored for HIPAA privacy notices, but still quite helpful when applied to HIPAA authorizations for research. Prepared for the Health Resources and Services Administration of the U.S. Department of Health and Human Services.

Easy-to-read template language for HIPAA

Institutionally-mandated HIPAA language varies dramatically. As with informed consent, there is no "one size fits all" plain language explanation of HIPAA for research. The following excerpts can be included together or separately within the main study consent form, but you may need to add other language required by your sponsor or your institution.

[12] Breese P, et al. The Health Insurance Portability and Accountability Act and the informed consent process. Ann Intern Med2004;141:897-898.

Flesch-Kincaid grade level score when all excerpts are used together = 7.1

How will you protect my privacy?

Your health information is protected by a federal privacy law called HIPAA.

Appendix A: Instructions for Checking Readability in Microsoft Word

Microsoft Word provides a readability analysis tool in the Spellchecker. To activate this tool:

Go to the "Tools" menu and select "Options."

Click on the "Spelling & Grammar" tab.

Check "Show readability statistics" under the "Grammar" heading.



Appendix B: Alternative Wording Suggestions

This list includes a selection of commonly-used medical terms, research jargon, and other complex words paired with suggestions for plain language alternatives. It is a compilation of original entries* and entries selected from a variety of plain language word lists publicly available on the intranet:

> Simple Words and Phrases (plainlanguage.gov)
>
> Glossary of Human Subjects Terminology (University of California at Davis, Office of Research)
>
> Plain Language Principles and Thesaurus for Making HIPAA Privacy Notices More Readable (Health Resources and Services Administration)
>
> Writing Style Guide and Dictionary of Plain English (Duncan Kent & Associates Ltd.)

This list is by no means exhaustive, and we encourage you to refer to other resources as needed. For definitions of more specialized medical terminology, try the University of Michigan Medical School Simplification Guide to Medical Terms; for definitions of research jargon, try the glossary of research terms developed by The Cochrane Collaboration.

<< Back to contents page

Navigation links: A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Instead of …	Try this … (You may need to use different forms or combinations depending on how the term is used)
A TOP	
abdomen	stomach, tummy, belly
abrasion	scrape, scratch
absorb	take in fluids, soak up
abstain from	don't, don't use, don't have, go without
accompany	go (along) with, come with
accomplish	carry out, do
accordingly	so, for that reason, as a result
accrue	add, gain, build up
accumulate	add, build up, collect, gather
accurate	correct, exact, right

Instead of …	Try this … (You may need to use different forms or combinations depending on how the term is used)
acquire	get
activate	begin, start
acute	sudden, new, recent; intense flare-up, serious pain; short-term
addictive	habit-forming
additional	added, extra, more, other
address	talk about, discuss
adequate	enough
adjacent	next to, by
administer	give
advantageous	helpful, useful
adverse	harmful, bad
adversely impact	hurt, set back
affirmative	yes, positive
aggravate	make worse
aggregate	all together, added together, combined
agitation	anxiety, restlessness, nervousness
ailment	sickness, illness, health problem, complaint
allergen	something that causes allergies
allergic rhinitis	hay fever
alleviate	ease, decrease, lessen
allocate	divide, give based on a plan
allow	let
alopecia	hair loss
alternative	choice, option
ameliorate	improve, get better, make better
ambulate	walk
ambulatory	able to walk
amend	change
ameliorate	improve
analgesic	pain killer, pain reliever
analyze	look at, study, examine
anaphylaxis	shock or serious allergic reaction
anesthetic (general)	a drug that puts you to sleep
anesthetic (local)	a drug that numbs an area of your body
angina (or angina pectoris)	chest pain

Instead of …	Try this … (You may need to use different forms or combinations depending on how the term is used)
anterior	front
anticipate	expect
anticoagulant	blood thinner
anti-inflammatory	helps swelling go down
apparent	clear, plain, show up
appreciate, appreciation	thankful, thanks
apprise	inform, tell
appropriate(ly)	correct(ly), proper(ly), right
approximate(ly)	about, around, roughly
arrhythmia	irregular heartbeat, when the heart doesn't have a steady beat
arteriosclerosis (or atherosclerosis)	hardening of the arteries
articulate	say, state, tell
ascertain	find out, learn

Instead of …	Try this … (You may need to use different forms or combinations depending on how the term is used)
blood glucose	blood sugar
blood profile	series of blood tests

	Try this … (You may need to use different forms or combinations depending on how the term is used)
	clot, stop flowing
	learning, thinking
	aware (of)
(of)	sex

Instead of …	Try this … (You may need to use different forms or combinations depending on how the term is used)
contraceptive	birth control
contract(ing) [a disease]	get(ing) [a disease]
contraindicated	not recommended, can cause a bad reaction, not allowed
contrast medium	dye
contribute	give, help
controlled trial	a study that compares one treatment to another treatment
contusion	bruise
convene	meet
convenient	handy, works well
conversion	change
convulsion	seizure, shaking
coronary	(in/of/related to) the blood vessels that bring blood to the heart
coronary thrombosis	heart attack
correlation	link
correspond	similar to, be in agreement with
crucial	very important

Instead of …	Try this … (You may need to use different forms or combinations depending on how the term is used)
elevate	high, higher, raise
eliminate	get rid of, remove, cut, end, go to the bathroom
elucidate	explain
embolism	lump of blood, clot
embolist/embolus	clot that blocks a blood vessel or artery
emesis	throwing up, vomiting
empirical evidence	proof
employ	use
employment	work

Instead of …	Try this … (You may need to use different forms or combinations depending on how the term is used)
excise	remove by cutting, cut out
exhale	breathe out
exhibit	show
expedite, expeditious	speed up, make (something) go faster, make (something) easier, (fast, quick)
expend	spend
experiencing	feeling, going through, having
expire, expiration	end (date), run out
explicit	plain, clear

Instead of …	Try this … (You may need to use different forms or combinations depending on how the term is used)
gerontological	age-related, (related to) aging
gestation	pregnancy
GI specialist	doctor who treats problems with digestion
glucose	sugar
gradually	slowly, over time
gynecologist	doctor trained in women's health
H TOP	
hazardous	dangerous, not safe
hearing impairment	hearing loss or deafness
heart failure	heart isn't pumping hard enough
hematocrit	amount of red blood cells in the blood
hematoma	bruise
hemorrhage	heavy bleeding
hence	so
hepatic	

Instead of …	Try this … (You may need to use different forms or combinations depending on how the term is used)
idiopathic	we don’t know what causes it
immediately	right away, now, at once
immerse	cover in, dip in

Instead of …	Try this … (You may need to use different forms or combinations depending on how the term is used)
initiate	begin, start
injection	shot
in lieu of	instead (of)
innovation	new idea, new way
inquire	ask
institute	start, set up
instrument	tool
insufficient	not enough, too little
intake	what you eat or drink; what goes into your body
intent, intention	aim, goal, purpose

Instead of …	Try this … (You may need to use different forms or combinations depending on how the term is used)
lateral	side, on the side
lethargic	sluggish; very sleepy
limb	arm or leg
lingual	tongue
lipids	fats in the blood
lipid profile (or lipid panel)	lab test to measure the amount of fats in the blood
locality	place
locally, localized	in one area
locate	find
location	place
lymphoma	cancer of the lymph nodes (or tissues)
M TOP	
magnetic resonance imaging (MRI)	pictures of the inside of the body taken with a special machine, like an x-ray but more detailed
magnitude	size
maintain	keep, support
malaise	general feeling of being sick, feeling bad
malignant, malignancy	harmful, poisonous; cancer that may spread to other parts of the body
malingering	pretending to be sick
majority (of)	most
manifestation	sign
manner	way
materialize	appear
maximum	greatest, largest, most
mean (statistical)	average (statistical)
medication	drug, medicine
menarche	first (menstrual) period
menopause	when a woman doesn't get any more (menstrual) periods
menses, menstruation	(menstrual) period
metabolism, metabolize	how the body breaks down food into energy
metastasize	spread
metastatic	cancer that has spread
miliaria	prickly heat
minimal (minimum)	least, smallest, slight (at least)
minimize	decrease, lower, reduce
mobile (mobility)	able (ability) to move around

Instead of …	Try this …

Instead of …	Try this … (You may need to use different forms or combinations depending on how the term is used)
oncology	study or treatment of cancer
onset	start
opportunity	chance
optimum, optimal	best, greatest, most
option	choice, way
oral (oral administration)	(given) by mouth
orthopedic	(of/about/related to) the bones
osteoporosis	brittle bone disease, having bones that can break easily
otherwise	if not
otolaryngologist	ear, nose, and throat doctor

Instead of …	Try this … (You may need to use different forms or combinations depending on how the term is used)
pharmacotherapy	use drugs to treat a disease or condition
pharyngitis	sore throat
physician	doctor
physiological	having to do with the body
pigmentation	color
placebo	a pill that doesn't have any drugs or medicine; a "sugar" pill
placenta	part of the mother's womb that supplies oxygen and nutrition to her unborn baby
plaque (artery)	fatty deposit
plasma	the fluid part of blood
plasma glucose	blood sugar
portion	part
positron emission tomography	PET scan or imaging test; te8ey7donef04maging test; te8ey7donef 1272 14.46 ref1 g530.2

Instead of …	Try this … (You may need to use different forms or combinations depending on how the term is used)
reflect	say, show
reflux	heartburn
refractory	hard to treat, hard to manage
regarding	about, of, on
regardless	no matter
regimen	treatment plan
regulate	affect, control
regulations	rules
relapse	slip, backslide, return of a disease
relevant (to)	about, tied in with, related to
relocate	move
remain	stay, wait
remainder	rest, what is left over
remaining	other, (second, last, final), left, left over
remission	cancer that has gone away
renal	(in/of/about/related to) the kidneys
render	make, give
replicable	can be done again
represents	is
request	ask
require(d), requirement	must do or have, need(ed)
researchers	people doing the study
resect	cut out, take out through surgery, remove
reside, residence	live, house, home
respiration	breathing
restrictions	limits
retain	keep

Instead of …	Try this … (You may need to use different forms or combinations depending on how the term is used)
sustain	keep going
sustenance	support, food
sutures	stitches
symptomatic	having symptoms
systemic	whole body
T TOP	
tachycardia	very fast heart beat
tap	use a needle to take out fluid
tear a ligament (torn	

Example 2

Original Grade level = 11.2 Reading Ease = 51.0 71% passive sentences	**Revised** Grade level = 6.3 Reading Ease = 75.1 9% passive sentences
If you **meet the eligibility requirements and are interested in participating**, you will **have a 1 in 4 chance of being assigned to each of** four groups. **Three in 4 participants will be assigned to** study treatment**, and 1 in 4 will be assigned to** usual medical care. **Participants assigned to the** study treatment group will make 10 visits over a 7-week period. These visits **will be paid for by** the study. **All participants** will receive a state-of-the-art book **describing** many techniques for caring for athlete's foot. **Regardless of group assignment**, **all participants will be contacted at** 2, 6, and 12 months after **the start of the study for about a 20-minute telephone interview**. **Although** we cannot guarantee that you will benefit from the treatment you **are assigned, knowledge gained** from this study will help improve care for athlete's foot at Group Health.	If you **are interested in and eligible for this study**, you will **be assigned by chance to one of the** four **study** groups. **Three groups** will **receive** study treatment**. The fourth group** will receive usual medical care. **You will have a 1 in 4 chance of being in any group.** **If you are in a** study treatment group**, you** will make 10 visits over a 7-week period. The study **will pay for** these visits. **Everyone in the study** will receive a state-of-the-art book **about** different **ways to care** for athlete's foot. **No matter which group you are in**, we **will call you for three phone surveys** that will **last about 20 minutes each. These surveys will take place** 2, 6, and 12 months after **you join the study**. We cannot guarantee that you will benefit from the treatment you **get. However**, the knowledge **we gain** from this study will help improve care for athlete's foot at Group Health.

Example 3

(There are revisions throughout, so changed text has not been emphasized in this example.)

Original Grade level = 13.7 Reading Ease = 44.0 0% passive sentences	**Revised** Grade level = 7.0 Reading Ease = 68.8 0% passive sentences
Group Health Cooperative recognizes the importance of positive health behaviors and their role in building a healthy and rewarding lifestyle. So we want to invite you to participate in a new research study for Group Health members called the SCALP Study. Group Health Cooperative, Kaiser Permanente, and HealthMedia, Inc., a leading multimedia group, are sponsoring this research to test the effectiveness of online programs for helping people prevent and treat dandruff. Before finalizing the programs, we need to pilot test them in a small group of persons who have dandruff. If you are one of the thousands of people who say they want to do something about their dandruff, we would li[0.0009 T 0 Td4mu to participate in this study. To be eligibl0.000enter the study, you must have dandruff, be a member of Group Health, have an email address and the ability.0009ccess the internet at least once or twice per week, and meet certain other eligibility requirements.	Group Health Cooperative knows that positive health behaviors help build a healthy and

Example 4

Original

Grade level = 13.2
Reading Ease = 52.8
0% passive sentences

Example 7

Original	Revised
Grade level = 11.2 Reading Ease = 45.9 40% passive sentences	Grade level = 6.9 Reading Ease = 68.5 0% passive sentences

All of your research records **will be maintained indefinitely in our research offices, in locked files and password-protected** computer files. We will not place your name on any research data. We will assign a code number to your **information, and** a master list **identifying you by your code number will be maintained by the Principal Investigator** in a locked **file**. Only **investigators** listed on this consent form and **personnel directly related to** this study will have access to your study records. **Selected** people working for the study sponsors may see **the information about you (both personal, including your name, and other information)** held by the study doctor. **Your information will be examined** to **confirm** that it is correct and that it is related to you. **These persons are required to maintain the confidentiality of your information**. We will not **reveal the results of your participation to anyone unless requested by you**. Your name will not appear in any publications or reports **produced from** this study.10.68-8(m)8(puter0006 Tc 02)8(puter12.9954-1.705 Tw -17.219 12 Tw -12.0490 -1.

DATE

Dear Parent or Guardian of [CHILD'S FNAME LNAME]:

Deciding what is best for your teenager's health can be a challenge. Teens aren't children anymore, but they aren't adults yet either. That's why it's important that we do research on teen health. Group Health and the University of Washington are doing a study that we hope will tell us the best way to figure out the needs of our teen patients.

Why are you asking us to be in this study?

We are inviting Group Health teenagers between 13 and 17 years old to take part in this study. [CHILD NAME] was one of [n] teens chosen at random to receive this invitation.

What do we do if we'd like to take part?

First, read over the enclosed consent form and study brochure. Then, talk to [CHILD NAME] and decide together about being in the study. If you choose to take part, please follow these steps:

1) Sign the consent form and put it in the return envelope.
2) Give the survey and the envelope (with the consent form inside) to your teen, so he or she can answer the questions in a private place.
3) Remind your teen to put the finished survey in the envelope with the consent form and mail it back to us. (no postage needed)

What if we don't want to be in the study?

If you don't want to be in the study, please call our toll-free line, 1-877-555-5555. Leave a message with your name, phone number, and your child's full name. Please say that you are calling about the ASC Study.

The $2 is for your teen to keep, whether or not [he/she] does the survey. Being in this study is voluntary. Your decision will not affect the care your family receives at Group Health.

If you have any questions about the study, please call the Project Manager, Susie Manager, at **206-555-5555**.

Sincerely,

Jane Researcher, MD, MPH
Group Health Center for Health Studies

Example #2

Introduction
We are inviting your teenage son or daughter to be in a research study. Group Health members between the ages of 13-17 years are being invited to participate. This consent form will give you information about the study, so you can understand enough about the risks and benefits to make an informed decision. This process is called informed consent. Please read it carefully. It will explain the purpose of the study, what we are asking you to do, the possible risks and benefits, and your rights as a volunteer in the study. If you have any questions, please call Susie Manager at 206-555-5555.

What is the purpose of the study?
The purpose of this research study is to test how well brief screening questionnaires can identify physical and emotional concerns that might put a teen's health at risk. We plan to use what we learn in this study to help design better ways to identify the health care needs of teens.

Will my teen or I get any benefit from being in the study?
There is no direct benefit for you or for your teen. Information that your teen provides might help physicians take better care of other teens in the future. The results of this survey will not be reported back to you or to your teen's doctor at Group Health.

If I agree to have my teen be in the study, what will he/she have to do?
Teens who choose to participate in this study will be asked to fill out the 8-item survey that is attached to this consent form and to return it by mail. Based on their responses to the questionnaire, some teens and one of their parents will also be invited to participate in a second study.

Are there any risks to the study?
One risk of this study is that your teen might feel uncomfortable answering the survey questions. We have attached the survey to this consent form so that you can look at the questions before giving the survey to your teen. Your teen can choose not to answer any questions that make him or her uncomfortable. Another risk is that, although we have a security plan to keep survey responses confidential, it is possible that someone else may see them.

Confidentiality
The information that your teen provides will be kept confidential as provided by law. Your teen's responses will be identified by study number only and only researchers and staff (listed above) will have access to it. The responses to the survey will not be reported back to your doctors at Group Health or to you.

Privacy
Your/your teen's health information is protected by a federal privacy law (called HIPAA) that applies to health care organizations and their employees. For this study, Group Health Cooperative will give your/your teen's health information to the researchers listed on this form and their staff to be used only for research purposes. In addition, authorized staff from Group Health and/or the funding agency may review study records to watch over the honesty and/or safety of the research. Any information shared with others outside of Group Health may no longer be protected under this federal law. However, other laws, regulations and agreements may protect the information from improper use. Information that identifies you/your teen, collected for this study, will not be shared with anyone else except as permitted by law.

Any benefits you are entitled to will not be affected by whether or not you participate in this study. Unless you take back your permission, this authorization for use of your health information will expire on 7/1/2010, which is 1 year after the end of the study. At any time, you may take back (revoke) your permission for the use of your health information for this study. To do this, you may write to Susie Manager at 1730 Minor Ave, Suite 1600, Seattle, WA 98101-1448. If you take back your permission, the researchers may keep the health information that they have already collected.

Your Teen's Participation is Voluntary
Your teen's participation in this study is completely voluntary. You or your teen may refuse to participate in any part of the study at any time. It will not change the health care your teen receives from Group Health. Your teen may skip any questions he or she does not want to answer. Whether or not you and your teen choose to participate, a $2-dollar bill is enclosed as a thank-you for your teen.

Parent/Guardian's Statement:
I have read this form. I give my consent for my child to take part in this research study. I have been told that if I have any questions, I can ask them at any time by calling the ASC Project Manager, Susie Manager, at 206-555-5555. I have been told that my child or I can withdraw permission at any time. If I have any questions about my child's rights as a research subject, I can call the Group Health Cooperative Human Subjects Review Office at (206) 555-5555.

_____	_____	_____	_____
PLEASE PRINT Parent/guardian name	Parent/Guardian Signature	Relationship To Teen	Date

REVISED Grade level = 7.4, 3% passive sentences

Your

Appendix E: Repository of Readability References and Resources

I. Large-scale Health Literacy and Plain Language Initiatives

American Medical Association Foundation Health Literacy Initiative
Working to raise awareness among health care providers about the link between health and literacy. Find out more about their toolkit Health Literacy: A Manual for Clinicians, and train-the-trainers seminar.

National Institutes of Health - Clear Co

Writing tips and how-to guides

Simply Put **PDF**
Tips for creating easy-to-read print materials from the Centers for Disease Control and Prevention (CDC).

How to Write Easy to Read Health Materials
Tips from the smart folks at Medline Plus, who develop lay-oriented health information.

Health Literacy Style Manual **PDF**
Southern Institute on Children and Families

Guidelines for Developing Easy-to-Read Health Education Materials
State of Washington Department of Health

Patient Education Materials: An Author's Guide
University of Utah, Health Sciences Center

Web pages with lists of alternative wording suggestions for medical and research terminology

University of California at Davis

University of Michigan Medical School

University of Utah Health Sciences Center

Enhancing provider/patient communication

AskMe3
Sponsored by the Partnership for Clear Health Communication (PCHC). The PCHC serves as an information source regarding the scope and impact of health literacy in the U.S., as well as what providers and patients can do to improve health communication in every provider-patient interaction.

Familydoctor.org
Patient-friendly site has an extensive index of conditions, health tools, including a dictionary of common medical term 0 b-8(i a dictionuBDC T0 0.98 0 4d Fam)8(ilies)]TJ0 Tc iv/w -20.508oc tmmre8(of Californi

KidsHealth
Sections for parents, kids, and teens, including interactive games. The kids' articles are easy to read and written for children. Also appropriate for adult learners with low-literacy skills.

Medline Plus
Interactive tutorials teach about health topics with animated graphics and simple text.

Health in Plain Terms.
A call to action from the Puget Sound Health Alliance. This is a resource for both consumers (helping them get the care they need), and providers (tools to help them talk to their patients in language that is easily understood.

Health Literacy: A Manual for Clinicians.
American Medical Association and American Medical Association Foundation, 2003

An abbreviated list of published articles on literacy and readability in health research (this is an ever-growing bibliography)

Berkman ND, et al. Literacy and health outcomes. Summary, Evidence Report/Technology Assessment No. 87. AHRQ Publication No. 04-E0007-1. Rockville, MD: Agency for Healthcare Research and Quality. Jan 2004.

Bjorn E, Rossel P, Holm S. Can the written information to research subjects be improved – an empirical study. J of Med Ethics. 1999;25:263-267

Cox K. Informed consent and decision-making: patients' experiences of the process of recruitment to phases I and II anti-cancer drug trials. Patient Educ Couns. 2002 Jan;46(1):31-8.

Coyne CA, et al. Randomized, controlled trial of an easy-to-read informed consent statement for clinical trial participation: A study of the Eastern Cooperative Oncology Group. J of Clinical Oncol. Mar 1, 2003;21(5):836-842.

Davis TC, et al. Literacy and misunderstanding prescription drug labels. Annals Int Med. Dec 2006;145(12):887-894.

Davis TC, et al. Informed consent for clinical trials: a comparative study of standard versus simplified forms. J of Natl Cancer Inst. May 6, 1998;90(9):668-674.

Davis TC, et al. Parent comprehension of polio vaccine information pamphlets. Pediatrics. 1996;97:804-810.

Goldfarb NH and DuBay WH. Writing good at a seventh-grade reading level. J of Clinical Research Best Practices. Vol.2, No.1, Jan 2006

Hochhauser M. Is it ethical to give out unreadable information? Managed Care Quarterly. Spring 2003.

Hopper KD, Tenhave TR, Hartzel J. Informed consent forms for clinical and research imaging procedures: how much do patients understand? Am J Roentgenol. 1995 Feb;164(2):493-6.

Kalichman SC, et al. Adherence to combination antiretroviral therapies in HIV patients of low literacy. Journal of General Internal Medicine, 1999.

Meade CD. Improving understanding of the informed consent process and document. Seminars in Onc Nursing. May 1999;15(2):124-137.

Miller C, et al. Comprehension and recall of the informational content of the informed consent document: an evaluation of 168 patients in a controlled clinical trial. J of Clin Res and Drug Development. 1994;8:237-248.

Paasche-Orlow MK, Taylor HA, Brancati FL. Readability standards for informed-consent forms as compared with actual readability. N Engl J Med. 2003 Feb 20;348(8):721-6.

Philipson S, et al. Effectiveness of a writing improvement intervention program on the readability of the research informed consent document. J of Investigative Med. Nov 1999;47(9):437-445.

Raich P, Plomer K, Coyne C. Literacy, comprehension, and informed consent in clinical research. Cancer Investigation. 2001;19(4):437-445

Ratzan SC, Parker RM, 2000. Introduction. In National Library of Medicine Current Bibliographies in Medicine: Health Literacy.

Sugarman J, Lavori PW, Boeger M, Cain C, Edson R, Morrison V, Yeh SS. Evaluating the quality of informed consent. Clinical Trials, Feb 2005; 2: 34 - 41.

Titus S and Keane M. Do you understand?: an ethical assessment of researchers' description of the consenting process. J of Clin Ethics. Spring 1996; 7(1):60-68.

White L, et al. Informed consent for medical research: common discrepancies and readability. Academic Emerg Med. August 1996;3(8):745-750.

Wolf MS, et al. Health literacy and health risk behaviors among older adults. Am J Prev Med 2007;32(1):19-24.

Williams MV, et al. Inadequate literacy is a barrier to asthma knowledge and self-care. Chest. 1998.

Two sites especially worthwhile for researchers and IRBs

Simplification of Informed Consent Documents
Plain language recommendations from the National Cancer Institute and a consent form template for cancer-related clinical trials.

Universal Use of Short And Readable Informed Consent Documents: How Do We Get There?
Summary of Strategic Planning Meeting May 30, 2007 held by the American Association of Medical Colleges to review potential approaches and available resources to move the research community toward common usage of informed consent documents that are both short and written in simple and comprehensible language.

<< Back to contents page

We're happy to update this list with other references or resources you may come across.

Contact Jessica Ridpath at PRISM@ghc.org or 206-287-2032 with suggested additions.